

Quick Reference Guide



READ PRIOR TO USE

Important information you need to know before administering YCANTH:

- **WARNING:** Flammable liquid, even after drying. Avoid fire, flame or smoking near lesions during treatment and after application until removed.
- **WARNING:** For Topical Use Only. Not for oral, mucosal, or ophthalmic use. Do not apply YCANTH near the eyes. Cantharidin can be fatal if administered orally.
- All healthcare professionals should receive instruction and training prior to preparation and administration of YCANTH.
- Wear gloves and eye protection during YCANTH preparation and administration.
- If YCANTH contacts any unintended surface, including healthy skin, immediately remove by wiping with a cotton swab or gauze. Avoid other topical products on treated areas until 24 hours after YCANTH treatment or until washing.
- If YCANTH Solution gets in the eyes, flush eyes with water for at least 15 minutes and seek medical attention.
- **DO NOT** reuse the YCANTH Applicator. The YCANTH applicator is for a single treatment session only.
- **DO NOT** attempt to use a clogged YCANTH Applicator.
- **DO NOT** cut or modify the YCANTH Applicator in any way; doing so could reduce dispensing control.
- **DO NOT** remove the YCANTH Applicator cap prior to breaking the glass ampule.
- **DO NOT** cover any treated lesions with bandages.
- If any damage or leaks are observed on the applicator, applicators should be discarded in a sharps container and handled in accordance with accepted medical practice and applicable law. The YCANTH Break Tool should be managed as solid waste and placed in plastic recycling containers or the general trash.


YCANTH Components

Each carton contains:

- 6 or 12 YCANTH Applicators, each packaged in an Outer Protective Tube




- 2 YCANTH Break Tools



Each Outer Protective Tube contains:

- 1 YCANTH Applicator




Refer to the YCANTH package insert leaflet for complete instructions.

Contact Verrica Pharmaceuticals at
1-800-843-7477 or visit
www.YCANTHPro.com for additional support.


How to use YCANTH:

1




Put on gloves and eye protection.

2



Remove YCANTH Applicator from Outer Protective Tube.

3



Completely remove the Paperboard Sleeve so glass ampule is visible. Do not remove the applicator cap prior to breaking the glass ampule.

4

Inspect the YCANTH Applicator for the following types of damage:

Broken glass ampule



Cut or cracked applicator tube




No damage (for reference)




If any damage is observed, dispose of the YCANTH applicators in a sharps container and handle in accordance with accepted medical practice and applicable law.

5




Press down firmly on the YCANTH Break Tool until a snap is heard.

6




Gently tap the capped end of the YCANTH Applicator on a horizontal surface for approximately 10 seconds or until the YCANTH Solution has collected at the bottom of the applicator tube.

7



Remove the applicator cap. Gently squeeze the applicator tube to apply a droplet to a paper towel or gauze to confirm the YCANTH Applicator is working properly.

8




Apply a small droplet of YCANTH Solution to lesions. Use the applicator tip to spread the solution to cover the entire lesion.

9



Allow YCANTH Solution to completely dry (up to 5 minutes).

10



Dispose in a sharps container and handle in accordance with accepted medical practice and applicable law.

Break Tool Maintenance:

- Wipe with 70% isopropyl alcohol following use.
- After 12 uses or if any damage is observed, the YCANTH Break Tool should be managed as solid waste and placed in plastic recycling containers or the general trash.
- If needed, contact Verrica Pharmaceuticals Inc at 1-800-843-7477 to request additional YCANTH Break Tools.